




DMG MORI

MACHINE TOOLING

PRODUCT CATALOG

AMERICAN MADE

Keep Up With The Times & Proactive Advanced Manufacturing

Proactive Advanced Manufacturing

Chain Headway was founded in 1992 to develop and produce cutting tools and accessories for CNC machining centers. Our company has developed over the years to provide a stable production environment with advanced R&D and manufacturing capabilities.

This is designed to provide cutting edge products and more efficient materials processing solutions for various types of industries. Our investment in R&D helps us to deliver the latest materials processing solutions for intelligent manufacturing to our customers.

- We are partnered with the University of Science & Technology developing a group of future Cutting professionals.
- We have a new 8250 square meter production facility which combines our office buildings with automated production facilities.
- Our production and inspection equipment is sourced from Japan and Europe to maintain the best possible quality and efficiency.

Industry processing challenges are constantly evolving with the development of high temperature alloys and composite materials. Our management team is proactively addressing these evolving materials processing requirements to rapidly develop & provide customers with the latest material processing solutions and the best possible customer service.



OUR PRODUCTS

STATIC BOLT-ON TOOL BLOCKS



Chain Headway offers an extensive range of Static tool holders for DMG Mori, Doosan, HAAS, Mazak, Okuma, and many other machine tool manufacturers. Our static toolholders are individually designed for each turning center and precision manufactured, ensuring optimal performance, and enabling you to harness the full potential of your machine.

LIVE TOOLING

Chain Headway's comprehensive product range of live tools are precision manufactured, ensuring optimal performance for your turning center. We prioritize the use of high-performance components in our live tooling, enabling you to achieve the highest efficiency from your machine tool. Chain Headway offers live tooling for DMG Mori, Doosan, HAAS, Mazak, Okuma, and many other machine tool manufacturers.



VDI TOOL HOLDERS



Chain Headway provides a complete line of Static VDI tool holders according to DIN 69880 standards. Our product range is available in 16mm, 20mm, 25mm, 30mm, 40mm, 50mm, 60mm and 80mm VDI shank sizes. Each tool holder is made from high strength alloy steel, hardened, black oxide coated and precision ground.

Leader in CNC Lathe Tooling

TOOL HOLDER BUSHINGS/SLEEVES



Chain Headway has been delivering tool holder bushings and sleeves to customers worldwide. Our product line is available in 22+ different styles in both standard inch and metric sizes. Each tool holder bushing/sleeve is manufactured using from high strength alloy steel, hardened, black oxide coated and precision ground.



TAILOR MADE TOOL HOLDERS

Chain Headway's build-a-tool program allows you to completely customize any tool holder in our product offering to your specialized dimensions/ application. From your conception, to an approved drawing, to being manufactured and delivered, you will be impressed by our quality and service.



In addition, Chain Headway has a wide-ranging database of machine-related solutions for many well-known machine tool manufacturers.



THE CHAIN HEADWAY QUALITY DIFFERENCE

Quality is not just an important part of our everyday operations; it's embedded into them. When you see the Chain Headway name on our products it is a product you can trust. All our tooling is manufactured with the latest machine tool technology run by our expert machinists.

Our underlying standard of quality is not only in our products but also in our customer service. You as the customer are the single most important aspect of our business and we will aim to go above and beyond in order to accommodate your needs.

編碼原則

動力刀座

例: LC-VDI-01-30-25-OC-DM-NL2000

LC	VDI	01	30	25	OC	DM	NL2000	
品牌CC	刀座類型	刀座樣式	刀柄心軸尺寸	筒夾樣式	出水方式	機械廠牌	機台型號	備註
		01 軸向0°	20 VDI20	11 ER11	OC 外部給水	DM DMG MORI		尺寸差異
		02 OFFSET.軸向偏心	25 VDI25	16 ER16	IC 中心出水	MA MAZAK		空白 無備註
		03 軸向0°雙輸出	30 VDI30	20 ER20		GW GOOD WAY		1 DIN1809
		11 徑向90°(R)	40 VDI40	25 ER25				2 DIN5480
		12 徑向90°(L)	60 VDI50	32 ER32				3 DIN5482
		13 徑向後縮(R)	65 VDI60	40 ER40				4 TOME
		14 徑向後縮(L)		50 ER50				S9 最高轉速9000
		15 徑向90°(R)雙輸出		C3 PSC3				S6 最高轉速6000
		16 徑向90°(L)雙輸出		C4 PSC4				DBY Y軸向裝2只
		17 徑向後縮(R)雙輸出		C5 PSC5				刀具
		18 徑向後縮(L)雙輸出		B22 FMB22				
		21 可調角度		B27 FMB27				
		31 其他		T40 BT40				

動力刀座

例: LC-BMT-03-40-25-OC-61.5-DM-NZ2000

LC	BMT	03	40	25	OC	61.5	DM	NZ2000
品牌CC	刀座類型	刀座樣式	刀柄心軸尺寸	接口樣式	出水方式	備註	機械廠牌	機台型號
		01 軸向0°	40 BMT40	20 ER20	OC 外部給水	數值 尺寸差異標示	DS 斗山	
		02 OFFSET.軸向偏心	45 BMT45	25 ER25	IC 中心出水	SP 副主軸用	NM 中村權	
		03 軸向0°雙輸出	50 BMT50	32 ER32		其他	DM DMG MORI	
		11 徑向90°(R)	55 BMT55	40 ER40			MA MAZAK	
		12 徑向90°(L)	60 BMT60	50 ER50			GW GOOD WAY	
		13 徑向後縮(R)	65 BMT65	C3 PSC3			OK OKUMA	
		14 徑向後縮(L)	70 BMT70	C4 PSC4				
		15 徑向90°(R)雙輸出	75 BMT75	C5 PSC5				
		16 徑向90°(L)雙輸出	80 BMT80	B22 FMB22				
		17 徑向後縮(R)雙輸出		B27 FMB27				
		18 徑向後縮(L)雙輸出		T40 BT40				
		21 可調角度						
		31 其他						

固定刀座

例: LC-DM-NZ2000-25-H7530-DB

LC	DM	NL2000	25	H7530	DB
品牌CC	機械廠牌	機台型號	刀具尺寸	中心高	備註
	DM DMG MORI		0	空白 外徑車刀	空白 無備註
	MA MAZAK		25	第一 內孔中心高75	DB 裝2只刀具
	GW GOOD WAY		32	第二 內孔高30	4P 裝4只刀具
	OK OKUMA		1*=25.4		FA 端面
			3/4*=19.05		EX 加長型
					ST 刀座分離式
					SP 副主軸用
					Y Y尺寸不同
					YZ YZ尺寸不同
					CU 切斷刀用
					CUB 切斷刀板用
					DBY Y軸向裝2只刀具
					RE 反向刀
					M/SP 主與副主
					DR 鑽孔用

CODING PRINCIPLES

DRIVEN TOOL HOLDERS EX: LC-VDI-01-3025OC-DM-NL2000


LC	VDI	01	30	25	OC	DM	NL2000	
Brand: CC	Tool Holder Type	Tool Holder Style	Spindle Shaft Size	Collet Style	Coolant Type	Machine Brand	Machine Model	Notes
		01 STRAIGHT	20 VDI20	11 ER11	OC External Coolant	DM DMG MORI		Size Variations
		02 STRAIGHT OFFSET	25 VDI25	16 ER16		MA MAZAK		Blank No Remarks
		03 DOUBLE TRAIGHT OFFSET	30 VDI30	20 ER20	IC INTERNAL COOLANT	GW GOOD WAY		1 DIN1809
		11 RIGHT ANGLE(R)	40 VDI40	25 ER25				2 DIN5480
		12 RIGHT ANGLE(L)	60 VDI50	32 ER32			3 DIN5482	
		13 OFFSET RIGHT ANGLE(R)	65 VDI60	40 ER40			4 TOME	
				50 ER50			S9 Max Speed 9000 RPM	
		14 OFFSET RIGTH ANGLE(L)		C3 Capto C3			S6 Max Speed 6000 RPM	
		15 DOUBLE RIGHT ANGLE(R)		C4 Capto C4			DBY DOUBLE OLDER Y-AXIS	
		16 DOUBLE RIGHT ANGLE(L)		C5 Capto C5				
		17 DOUBLE OFFSET RIGHT ANGLE(R)		B22 FMB22				
		18 DOUBLE OFFSET RIGHT ANGLE(L)		B27 FMB27				
		21 Adjustable Angle		T40 BT40				
		31 Others						

DRIVEN TOOL HOLDER EX: LC-BMT-03-4025OC-61.5-DM-NZ2000

LC	BMT	03	40	25	OC	61.5	DM	NZ2000
Brand: CC	Tool Holder Type	Tool Holder Style	Spindle Shaft Size	Collet Style	Coolant Type	Notes	Machine Brand	Machine Model
		01 STRAIGHT	40 BMT40	20 ER20	OC External Coolant	Values	DS DOOSAN	
		02 STRAIGHT OFFSET	45 BMT45	25 ER25			Size Variation Indicators	NM NAKAMURA-TOME
		03 DOUBLE TRAIGHT OFFSET	50 BMT50	32 ER32	IC INTERNAL COOLANT	SP For Sub-Spindle	DM DMG MORI	
		11 RIGHT ANGLE(R)	55 BMT55	40 ER40			Others	MA MAZAK
		12 RIGHT ANGLE(L)	60 BMT60	50 ER50			GW GOOD WAY	
		13 OFFSET RIGHT ANGLE(R)	65 BMT65	C3 Capto C3			OK OKUMA	
		14 OFFSET RIGHT ANGLE(L)	70 BMT70	C4 Capto C4				
		15 DOUBLE RIGHT ANGLE(R)	75 BMT75	C5 Capto C5				
		16 DOUBLE RIGHT ANGLE(L)	80 BMT80	B22 FMB22				
		17 DOUBLE OFFSET RIGHT ANGLE(R)		B27 FMB27				
		18 DOUBLE OFFSET RIGHT ANGLE(L)		T40 BT40				
		21 Adjustable Angle						
		31 Others						

FIXED TOOL BLOCKS EX: LC-DM-NZ2000-25-H7530-DB

LC		DM	NL2000	25	H7530	DB
Brand: CC	Machine Brand	Machine Model		Tool Size	Center Height	Notes
	DM	DMG MORI		0	Blank	External Turning Tool
	MA	MAZAK		25	First	Inner Bore Center Height ex : 75mm
	GW	GOOD WAY		32	Second	Inner Bore Center Height ex : 30mm
	OK	OKUMA		1"=25.4		
				3/4"=19.05		
						Blank No Remarks
						DB DOUBLE
						4P 4 POSITION
						FA FACE
						EX EXTENDED
						ST SPLIT
						SP For Sub-Spindle
						Y Different Y Dimensions
						YZ Different YZ Dimensions
						CU CUT OFF
						CUB CUT OFF BLAND
						DBY DOUBLE HOLDER Y-AXIS
						RE Reverse Tool
						M/SP Main and Sub Spindle
						DR For Drilling



Click on sections below to jump to that page.

NZ2000		pg 8
NL3000		pg 18
MSL150		pg 32
MSL20/30		pg 37
MSL35		pg 48
MSL403		pg 52
MSL603		pg 56
MSL603MC		pg 60

DMG MORI NZ2000 MACHINE CONNECTIONS

COMPATIBLE MACHINES

ALX 1500-2500 MC/Y/SY

CLX 450, ecoTurn 450 (BMT40)

DuraTurn 2050, 2550 MC

NLX/NL 1500-2500 (20 ST)


NRX 2000 MC

NT/NTX 1000-3200 (BMT40)


NTX 1000-3000 2nd Generation (BMT40)

NZX 1500-2000 (16 ST)


NZX 2500 (turret 2 = BMT40)




DMG MORI NZ2000




OD TURNING HOLDER **pg 10**




DOUBLE OD TURNING HOLDER **pg 10**




OD FACING HOLDER **pg 11**




BORING BAR HOLDER ... **pg 11**




DOUBLE ID HOLDER **pg 12**




CAPTO ID HOLDER **pg 12**




DOUBLE CAPTO ID HOLDER **pg 12**




CAPTO OD HOLDER **pg 13**



DOUBLE CAPTO OD HOLDER **pg 13**




DOUBLE CAPTO OD HOLDER Y-AXIS **pg 13**




4 POSITION CAPTO OD HOLDER **pg 14**




STRAIGHT DRILL-MILLING LIVE TOOL **pg 14**




STRAIGHT DRILL-MILLING ARBOR LIVE TOOL **pg 14**




DOUBLE STRAIGHT DRILL-MILLING LIVE TOOL **pg 15**




RIGHT ANGLE DRILL-MILLING LIVE TOOL **pg 15**




OFFSET RIGHT ANGLE DRILL-MILLING LIVE TOOL **pg 16**



DOUBLE RIGHT ANGLE DRILL-MILLING LIVE TOOL **pg 16**





DOUBLE OFFSET RIGHT ANGLE DRILL-MILLING LIVE TOOL **pg 17**



ADJUSTABLE ANGLE LIVE TOOL **pg 17**

BMT外徑車刀座



DMG MORI NZ2000 OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'
5699-90001	LC-DM-NZ2000-3/4	3/4"	4.528"
5699-90004	LC-DM-NZ2000-1	1.000"	5.551"
5699-90007	LC-DM-NZ2000-20	20mm	90mm
5699-90010	LC-DM-NZ2000-25	25mm	141mm

BMT雙向外徑車刀座



DMG MORI NZ2000 DOUBLE OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'
5699-90013	LC-DM-NZ2000-3/4-DB	3/4"	5.118"
5699-90016	LC-DM-NZ2000-1-DB	1.000"	5.512"
5699-90019	LC-DM-NZ2000-20-DB	20mm	130mm
5699-90022	LC-DM-NZ2000-25-DB	25mm	140mm

BMT端面車刀座



DMG MORI NZ2000 OD FACING HOLDER





MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90025	LC-DM-NZ2000-3/4-FA	3/4"
5699-90028	LC-DM-NZ2000-1.0-FA	1.000"
5699-90031	LC-DM-NZ2000-20-FA	20mm
5699-90034	LC-DM-NZ2000-25-FA	25mm

BMT内徑搪刀座



DMG MORI NZ2000 BORING BAR HOLDER





MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90037	LC-DM-NZ2000-1-1/4-H100	1 1/4"
5699-90040	LC-DM-NZ2000-1-1/2-H100	1 1/2"
5699-90043	LC-DM-NZ2000-32-H100	32mm
5699-90046	LC-DM-NZ2000-40-H100	40mm

BMT雙內徑搪刀座**DMG MORI NZ2000 DOUBLE ID HOLDER**

MOLDER NO.	PART NUMBER	DIMENSION 'X'
5699-90049	LC-DM-NZ2000-1-H7530-DB	1.000"
5699-90052	LC-DM-NZ2000-25-H7530-DB	25mm

BMT/CAPTO內徑刀座**DMG MORI NZ2000 CAPTO ID HOLDER**



MOLDER NO.	規格 SPEC.	36.000	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90055	LC-DM-NZ2000-C4-H100	C4	40mm	100mm	71mm
5699-90058	LC-DM-NZ2000-C5-H90	C5	50mm	90mm	73mm

BMT/CAPTO雙內徑刀座**DMG MORI NZ2000 DOUBLE CAPTO ID HOLDER**

MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90061	LC-DM-NZ2000-C4-H100-DB	C4	40mm

BMT/CAPTO外徑刀座



DMG MORI NZ2000 CAPTO OD HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90064	LC-DM-NZ2000-C4	C4	40	172mm	85mm
5699-90067	LC-DM-NZ2000-C5	C5	50	180mm	95mm

BMT/CAPTO雙外徑刀



DMG MORI NZ2000 DOUBLE CAPTO OD HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90070	LC-DM-NZ2000-C4-DB	C4	40	172mm	85mm
5699-90073	LC-DM-NZ2000-C5-DB	C5	50	180mm	95mm

BMT/CAPTO雙外徑刀座



DMG MORI NZ2000 DOUBLE CAPTO OD HOLDER Y-AXIS



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90076	LC-DM-NZ2000-C4-DBY	C4	40mm

BMT/CAPTO四只型外徑刀座



DMG MORI NZ2000 4 POSITION CAPTO OD HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90079	LC-DM-NZ2000-C4-DB-4P	C4	40mm

BMT軸向ER動力刀座



DMG MORI NZ2000 STRAIGHT DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32001	LC-BMT-01-4025-OC-DM-NZ2000	外部Ext.	40	ER25	70	110	62	78	69	84.3	35	12000	1:1	50
5411-32004	LC-BMT-01-4025-IC-DM-NZ2000	内部Int. /外部Ext.	40	ER25	70	110	62	78	69	84.3	35	12000	1:1	50
5411-32007	LC-BMT-01-4032-OC-DM-NZ2000	外部Ext.	40	ER32	70	110	62	78	69	89.2	35	12000	1:1	50
5411-32010	LC-BMT-01-4032-IC-DM-NZ2000	内部Int. /外部Ext.	40	ER32	70	110	62	78	69	89.2	35	12000	1:1	50

BMT軸向FMB動力刀座



DMG MORI NZ2000 STRAIGHT DRILL-MILLING ARBOR LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32013	LC-BMT-01-40B22-OC-DM-NZ2000	外部Ext.	40	22	70	110	62	78	69	100	35	12000	1:1	50

BMT軸向雙ER動力刀座



DMG MORI NZ2000 DOUBLE STRAIGHT DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	B3	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32016	LC-BMT-03-4020-OC-DM-NZ2000	外部Ext.	40	ER20	60	70	110	52	62	78	69	93.5	66	6000	1:1	20
5411-32019	LC-BMT-03-4020-IC-DM-NZ2000	内部Int. 外部Ext.	40	ER20	60	70	110	52	62	78	69	93.5	66	6000	1:1	20
5411-32022	LC-BMT-03-4020-OC-61.5-DM-NZ2000	外部Ext.	40	ER20	61.5	70	95	60	62	105	69	90	70	6000	1:1	30
5411-32025	LC-BMT-03-4020-IC-61.5-DM-NZ2000	内部Int. 外部Ext.	40	ER20	61.5	70	95	60	62	105	69	90	70	6000	1:1	30

BMT徑向ER動力刀座



DMG MORI NZ2000 RIGHT ANGLE DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	B3	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32028	LC-BMT-11-4025-OC-DM-NZ2000	外部Ext.	40	ER25	70	110	57.5	89	62	78	69	119	85	12000	1:1	50
5411-32031	LC-BMT-11-4025-IC-DM-NZ2000	内部Int. 外部Ext.	40	ER25	70	110	57.5	89	62	78	69	119	85	12000	1:1	50
5411-32034	LC-BMT-11-4032-OC-DM-NZ2000	外部Ext.	40	ER32	70	110	57.5	94	62	78	69	119	85	12000	1:1	50
5411-32037	LC-BMT-11-4032-IC-DM-NZ2000	内部Int. 外部Ext.	40	ER32	70	110	57.5	94	62	78	69	119	85	12000	1:1	50

BMT徑向後縮ER動力刀座



DMG MORI NZ2000 OFFSET RIGHT ANGLE DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	H4	H5	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32040	LC-BMT-13-4025-OC-DM-NZ2000	外部Ext.	40	ER25	70	127.5	92.5	54	55	62	78	69	159	125	12000	1:1	50
5411-32043	LC-BMT-13-4025-IC-DM-NZ2000	内部Int. 外部Ext.	40	ER25	70	127.5	98.4	54	55	62	78	69	159	125	12000	1:1	50
5411-32046	LC-BMT-13-4032-OC-DM-NZ2000	外部Ext.	40	ER32	70	127.5	92.5	59	55	62	78	69	159	125	12000	1:1	50
5411-32049	LC-BMT-13-4032-IC-DM-NZ2000	内部Int. 外部Ext.	40	ER32	70	127.5	98.4	59	55	62	78	69	159	125	12000	1:1	50

BMT徑向雙ER動力刀座



DMG MORI NZ2000 DOUBLE RIGHT ANGLE DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32052	LC-BMT-15-4025-OC-DM-NZ2000	外部Ext.	40	ER25	70	110	89	62	78	69	119	85	12000	1:1	50
5411-32055	LC-BMT-15-4032-OC-DM-NZ2000	外部Ext.	40	ER32	70	110	94	62	78	69	119	85	12000	1:1	50

BMT徑向後縮雙ER動力刀座



DMG MORI NZ2000 DOUBLE OFFSET RIGHT ANGLE RILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	H4	H5	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32058	LC-BMT-17-4025-OC-DM-NZ2000	外部Ext.	40	ER25	70	127.5	124	54	55	62	78	69	159	125	12000	1:1	50
5411-32061	LC-BMT-17-4032-OC-DM-NZ2000	外部Ext.	40	ER32	70	127.5	129	59	55	62	78	69	159	125	12000	1:1	50

BMT可調90度動力刀座

DMG MORI NZ2000 ADJUSTABLE ANGLE LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32064	LC-BMT-21-4020-OC-DM-NZ2000	外部Ext.	40	ER20	70	110	62	78	69	107	50	12000	1:1	17
5411-32067	LC-BMT-21-4020-IC-DM-NZ2000	内部Int. 外部Ext.	40	ER20	70	110	62	78	69	107	50	12000	1:1	17

DMG MORI NZ3000 MACHINE CONNECTIONS

COMPATIBLE MACHINES

NLX/NL 1500-4000 MC/Y/SMC/SY


NTX 2000-3000 2nd Generation (BMT60)

NZX 2500 (BMT60)


NZX2500 (BMT60)

NLX 4000 (High Torque Milling)


NT 4200-5400




DMG MORI NL3000




OD TURNING HOLDER **pg 20**




DOUBLE OD TURNING HOLDER **pg 20**




4 POSITION OD TURNING HOLDER **pg 21**




OD FACING HOLDER **pg 21**




BORING BAR HOLDER ... **pg 22**




SPLIT BORING BAR HOLDER **pg 23**




DOUBLE ID HOLDER **pg 23**




CAPTO ID HOLDER **pg 24**




DOUBLE CAPTO ID HOLDER **pg 24**




SUB SPINDLE CAPTO ID HOLDER **pg 25**




EXTENDED CAPTO ID HOLDER **pg 25**




CAPTO OD HOLDER **pg 26**




SHORT CAPTO OD HOLDER **pg 26**



DOUBLE CAPTO OD HOLDER **pg 27**




DOUBLE CAPTO HOLDER Y-AXIS **pg 27**




4 POSITION CAPTO OD HOLDER **pg 28**




STRAIGHT DRILL-MILLING LIVE TOOL **pg 28**




STRAIGHT DRILL-MILLING ARBOR LIVE TOOL **pg 29**




DOUBLE STRAIGHT DRILL - MILLING LIVE TOOL **pg 29**




RIGHT ANGLE DRILL-MILLING LIVE TOOL **pg 30**



OFFSET RIGHT ANGLE DRILL - MILLING LIVE TOOL **pg 30**





DOUBLE RIGHT ANGLE DRILL - MILLING LIVE TOOL **pg 31**



ADJUSTABLE ANGLE LIVE TOOL **pg 31**

BMT外徑車刀座



DMG MORI NL3000 OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90091	LC-DM-NL3000-3/4	3/4"	2.750"	5.118"
5699-90094	LC-DM-NL3000-1	1.000"	2.750"	5.118"
5699-90097	LC-DM-NL3000-1Y	1.000"	3.537"	5.118"
5699-90100	LC-DM-NL3000-1YZ	1.000"	2.750"	6.102"
5699-90103	LC-DM-NL3000-20	20mm	70mm	130mm
5699-90106	LC-DM-NL3000-25	25mm	70mm	130mm
5699-90109	LC-DM-NL3000-25Y	25mm	90mm	130mm
5699-90112	LC-DM-NL3000-25Z	25mm	70mm	155mm

BMT雙外徑車刀座



DMG MORI NL3000 DOUBLE OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90115	LC-DM-NL3000-1-DB	1.000"
5699-90118	LC-DM-NL3000-25-DB	25mm

BMT四只型外徑車刀座



DMG MORI NL3000 4 POSITION OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90121	LC-DM-NL3000-1-DB-4P	1.000"
5699-90124	LC-DM-NL3000-25-DB-4P	25mm

BMT端面車刀座


DMG MORI NL3000 OD FACING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90127	LC-DM-NL3000-3/4-FA	3/4"
5699-90130	LC-DM-NL3000-1-FA	1.000"
5699-90133	LC-DM-NL3000-20-FA	20mm
5699-90136	LC-DM-NL3000-25-FA	25mm

BMT内徑搪刀座



DMG MORI NL3000 BORING BAR HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90139	LC-DM-NL3000-1-H3.150	1.000"	4.646"	3.150"
5699-90142	LC-DM-NL3000-1-1/4-H3.150	1 1/4"	4.646"	3.150"
5699-90145	LC-DM-NL3000-1-1/2-H3.150	1 1/2"	4.646"	3.150"
5699-90148	LC-DM-NL3000-1-3/4-H3.150	1 3/4"	4.646"	3.150"
5699-90151	LC-DM-NL3000-2-H3.150	2.000"	4.646"	3.150"
5699-90154	LC-DM-NL3000-2-1/2-H3.150	2 1/2"	4.921"	3.150"
5699-90157	LC-DM-NL3000-3-H4.331	3.000"	6.300"	4.331"
5699-90160	LC-DM-NL3000-1-1/2-H2.559	1 1/2"	4.055"	2.559"
5699-90163	LC-DM-NL3000-1-1/2-H4.724	1 1/2"	6.102"	4.724"
5699-90166	LC-DM-NL3000-2-H4.724	2.000"	6.102"	4.724"
5699-90169	LC-DM-NL3000-25-H80	25mm	118mm	80mm
5699-90172	LC-DM-NL3000-32-H80	32mm	118mm	80mm
5699-90175	LC-DM-NL3000-40-H80	40mm	118mm	80mm
5699-90178	LC-DM-NL3000-45-H80	45mm	118mm	80mm
5699-90181	LC-DM-NL3000-50-H80	50mm	118mm	80mm
5699-90184	LC-DM-NL3000-65-H80	65mm	125mm	80mm
5699-90187	LC-DM-NL3000-80-H110	80mm	160mm	110mm
5699-90190	LC-DM-NL3000-40-H65	40mm	103mm	65mm
5699-90193	LC-DM-NL3000-40-H120	40mm	155mm	120mm
5699-90196	LC-DM-NL3000-50-H120	50mm	155mm	120mm

BMT内徑搪刀座



DMG MORI NL3000 SPLIT BORING BAR HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90199	LC-DM-NL3000-1-H3.150-ST	1.000"	4.646"	3.150"
5699-90202	LC-DM-NL3000-1-1/2-H3.150-ST	1 1/2"	4.646"	3.150"
5699-90205	LC-DM-NL3000-2-H3.150-ST	2.000"	4.921"	3.150"
5699-90208	LC-DM-NL3000-3-H4.331-ST	3.000"	6.890"	4.331"
5699-90211	LC-DM-NL3000-25-H80-ST	25mm	118mm	80mm
5699-90214	LC-DM-NL3000-40-H80-ST	40mm	118mm	80mm
5699-90217	LC-DM-NL3000-50-H80-ST	50mm	125mm	80mm
5699-90220	LC-DM-NL3000-80-H110-ST	80mm	175mm	110mm

BMT雙內徑搪刀座



DMG MORI NL3000 DOUBLE ID HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90223	LC-DM-NL3000-1-H8040-DB	1.000"
5699-90226	LC-DM-NL3000-1-1/4-H8040-DB	1.250"
5699-90229	LC-DM-NL3000-25-H8040-DB	25mm
5699-90232	LC-DM-NL3000-32-H8040-DB	32mm

BMT/CAPTO内徑刀座



DMG MORI NL3000 CAPTO ID HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90235	LC-DM-NL3000-C4-H90	C4	40mm	65mm	65mm
5699-90238	LC-DM-NL3000-C5-H90	C5	50mm	68mm	65mm
5699-90241	LC-DM-NL3000-C6-H90	C6	63mm	37mm	79mm

BMT/CAPTO雙內徑刀座



DMG MORI NL3000 DOUBLE CAPTO ID HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90244	LC-DM-NL3000-C4-H7052-DB	C4	40mm

BMT/CAPTO副主軸內徑刀座



DMG MORI NL3000 SUB SPINDLE CAPTO ID HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90247	LC-DM-NL3000-C4-H90-SP	C4	40mm	41mm	114mm
5699-90250	LC-DM-NL3000-C5-H90-SP	C5	50mm	44mm	122mm

BMT/CAPTO加長外徑刀座



DMG MORI NL3000 EXTENDED CAPTO ID HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90253	LC-DM-NL3000-C5-EX	C5	50mm

BMT/CAPTO外徑刀座



DMG MORI NL3000 CAPTO OD HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'
5699-90256	LC-DM-NZ3000-C4	C4	40mm	80mm
5699-90259	LC-DM-NZ3000-C5	C5	50mm	95mm

BMT/CAPTO外徑刀座


DMG MORI NL3000 SHORT CAPTO OD HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90262	LC-DM-NZ3000-C4YZ	C4	40mm	157mm	40mm
5699-90265	LC-DM-NZ3000-C5YZ	C5	50mm	174mm	53mm

BMT/CAPTO雙外徑刀座


DMG MORI NL3000 DOUBLE CAPTO OD HOLDER





MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90268	LC-DM-NZ3000-C4-DB	C4	40mm	115.5mm	80mm
5699-90271	LC-DM-NZ3000-C5-DB	C5	50mm	99.5mm	95mm

BMT/CAPTO雙外徑刀座



DMG MORI NL3000 DOUBLE CAPTO HOLDER Y-AXIS



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90274	LC-DM-NZ3000-C4-DBY	C4	40mm

BMT/CAPTO四只型外徑刀座**DMG MORI NL3000 4 POSITION CAPTO OD HOLDER**



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90277	LC-DM-NZ3000-C4-DB-4P	C4	40mm

BMT軸向ER動力刀座**DMG MORI NL3000 STRAIGHT DRILL-MILLING LIVE TOOL**

MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32082	LC-BMT-01-6025OC-DM-NZ3000	外部Ext.	60	ER25	94	130	84	108	91	85	51	10000	1:1	60
5411-32085	LC-BMT-01-6025IC-DM-NZ3000	内部Int. 外部Ext.	60	ER25	94	130	84	108	91	85	51	10000	1:1	60
5411-32088	LC-BMT-01-6032OC-DM-NZ3000	外部Ext.	60	ER32	94	130	84	108	91	89.5	51	10000	1:1	60
5411-32091	LC-BMT-01-6032IC-DM-NZ3000	内部Int. 外部Ext.	60	ER32	94	130	84	108	91	89.5	51	10000	1:1	60
5411-32094	LC-BMT-01-6040OC-DM-NZ3000	外部Ext.	60	ER40	94	130	84	108	91	92	51	10000	1:1	60
5411-32097	LC-BMT-01-6040IC-DM-NZ3000	内部Int. 外部Ext.	60	ER40	94	130	84	108	91	92	51	10000	1:1	60

BMT軸向FMB動力刀座



DMG MORI NL3000 STRAIGHT DRILL-MILLING ARBOR LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32100	LC-BMT-01-60B27OC-DM-NZ3000	外部Ext.	60	27	94	130	84	108	91	100	51	6000	1:1	60
5411-32103	LC-BMT-01-60B22OC-DM-NZ3000	外部Ext.	60	22	94	130	84	108	91	100	51	6000	1:1	60

BMT軸向雙ER動力刀座



DMG MORI NL3000 DOUBLE STRAIGHT DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	B3	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32106	LC-BMT-03-6025OC-DM-NZ3000	外部Ext.	60	ER25	66	94	130	70	84	108	91	117.5	85	6000	1:1	40
5411-32109	LC-BMT-03-6025IC-DM-NZ3000	内部Int. 外部Ext.	60	ER25	66	94	130	70	84	108	91	117.5	85	6000	1:1	40

BMT徑向ER動力刀座



DMG MORI NL3000 RIGHT ANGLE DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	B3	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32112	LC-BMT-11-6025OC-DM-NZ3000	外部Ext.	60	ER25	94	130	67.7	99	84	108	91	129	90	10000	1:1	60
5411-32115	LC-BMT-11-6025IC-DM-NZ3000	内部Int. 外部Ext.	60	ER25	94	130	67.7	99	84	108	91	129	90	10000	1:1	60
5411-32118	LC-BMT-11-6032OC-DM-NZ3000	外部Ext.	60	ER32	94	130	67.7	103.9	84	108	91	129	90	10000	1:1	60
5411-32121	LC-BMT-11-6032IC-DM-NZ3000	内部Int. 外部Ext.	60	ER32	94	130	67.7	103.9	84	108	91	129	90	10000	1:1	60
5411-32124	LC-BMT-11-6032OC-DM-NZ3000	外部Ext.	60	ER40	94	130	67.7	106	84	108	91	129	90	10000	1:1	60
5411-32127	LC-BMT-11-6040IC-DM-NZ3000	内部Int. 外部Ext.	60	ER40	94	130	67.7	106	84	108	91	129	90	10000	1:1	60

BMT徑向後縮ER動力刀座



DMG MORI NL3000 OFFSET RIGHT ANGLE DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	H4	H5	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32130	LC-BMT-13-6032OC-DM-NZ3000	外部Ext.	60	ER25	94	155	117	53.9	65	84	108	91	139	100	6000	1:1	40
5411-32133	LC-BMT-13-6032IC-DM-NZ3000	内部Int. 外部Ext.	60	ER25	94	155	117	53.9	65	84	108	91	139	100	6000	1:1	40

BMT徑向雙ER動力刀座



DMG MORI NL3000 DOUBLE RIGHT ANGLE DRILL-MILLING LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32136	LC-BMT-15-6032OC-DM-NZ3000	外部Ext.	60	ER32	94	130	103.9	84	108	91	131	90	10000	1:1	60
5411-32139	LC-BMT-15-6040OC-DM-NZ3000	外部Ext.	60	ER40	94	130	106	84	108	91	131	90	10000	1:1	60

BMT可調90度動力刀座

DMG MORI NL3000 ADJUSTABLE ANGLE LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m
5411-32142	LC-BMT-21-6025OC-DM-NZ3000	外部Ext.	60	ER25	94	130	84	108	91	145.2	78	10000	1:1	25
5411-32145	LC-BMT-21-6025IC-DM-NZ3000	内部Int. 外部Ext.	60	ER25	94	130	84	108	91	145.2	78	10000	1:1	25

DMG MORI MSL150 MACHINE CONNECTIONS

COMPATIBLE MACHINES



ALX 1500-2500 (static turret only)

CL 1500, 2000 (12 ST)


Mori Seiki DuraTurn 1530

Mori Seiki SL/ZL 150 – 154


Mori Seiki SL/ZL 150 – 154 MC/SMC/Y/SY




OD TURNING HOLDER .. pg 33




DOUBLE OD TURNING HOLDER pg 33



OD FACING HOLDER pg 34




BORING BAR HOLDER . pg 34



DOUBLE ID HOLDER pg 35





CAPTO ID HOLDER pg 35



CAPTO OD HOLDER pg 36

BMT外徑車刀座



DMG MORI MSL150 OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90292	LC-DM-MSL150-3/4	3/4"
5699-90295	LC-DM-MSL150-20	20mm

BMT雙外徑車刀座



DMG MORI MSL150 DOUBLE OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90298	LC-DM-MSL150-3/4-DB	3/4"
5699-90301	LC-DM-MSL150-20-DB	20mm

BMT端面車刀座



DMG MORI MSL150 OD FACING HOLDER





MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90304	LC-DM-MSL150-3/4-FA	3/4"
5699-90307	LC-DM-MSL150-20-FA	20mm

BMT内徑搪刀座


DMG MORI MSL150 BORING BAR HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'
5699-90310	LC-DM-MSL150-3/4-H35	3/4"	2.362"
5699-90313	LC-DM-MSL150-1-H35	1.000"	2.362"
5699-90316	LC-DM-MSL150-1-1/4-H35	1 1/4"	2.362"
5699-90319	LC-DM-MSL150-1-1/2-H35	1 1/2"	2.362"
5699-90322	LC-DM-MSL150-2-H35	2.000"	2.677"
5699-90325	LC-DM-MSL150-20-H35	20mm	60mm
5699-90328	LC-DM-MSL150-25-H35	25mm	60mm
5699-90331	LC-DM-MSL150-32-H35	32mm	60mm
5699-90334	LC-DM-MSL150-40-H35	40mm	60mm
5699-90337	LC-DM-MSL150-50-H35	50mm	68mm

BMT雙內徑搪刀座**DMG MORI MSL150 DOUBLE ID HOLDER**



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90340	LC-DM-MSL150-3/4-H3540-DB	3/4"
5699-90343	LC-DM-MSL150-1-H3540-DB	1.000"
5699-90346	LC-DM-MSL150-20-H3540-DB	20mm
5699-90349	LC-DM-MSL150-25-H3540-DB	25mm

BMT/CAPTO內徑刀座**DMG MORI MSL150 CAPTO ID HOLDER**

MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90352	LC-DM-MSL150-C4-H35	C4	40mm

BMT/CAPTO外徑刀座

DMG MORI MSL150 CAPTO OD HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90355	LC-DM-MSL150-C4	C4	40mm

DMG MORI MSL20-30 MACHINE CONNECTIONS

COMPATIBLE MACHINES

CL 1500, 2000 (8/10 ST)

CTX 310 V1

NLX 2500 (static turret only)


NRX 2000 (static turret only)

VL-253


Mori Seiki DuraTurn 2030, 2050, 2550

Mori Seiki SL/ZL 200 – 254 MC/SMC/Y/SY


Mori Seiki SL/ZL 2500 MC/SMC/Y/SY




DMG MORI MSL20-30




OD TURNING
HOLDER **pg 39**




DOUBLE OD TURNING
HOLDER **pg 39**




OD FACING HOLDER JACK
SCREWS **pg 40**




OD FACING HOLDER
WEDGE **pg 40**



CUT OFF HOLDER **pg 41**




CUT OFF BLADE
HOLDER **pg 41**




BORING BAR HOLDER ... **pg 42**



EXTENDED BOING
BAR HOLDER **pg 42**




DOUBLE BORING BAR
HOLDER **pg 43**




SPLIT BORING BAR
HOLDER **pg 43**




CAPTO ID HOLDER **pg 44**




CAPTO OD HOLDER **pg 44**




STRAIGHT DRILL - MILLING
LIVE TOOL **pg 45**




RIGHT ANGLE DRILL -
MILLING LIVE TOOL **pg 45**



RIGHT ANGLE DRILL -
MILLING SUB - SPINDLE
LIVE TOOL **pg 46**





DOUBLE RIGHT ANGLE DRILL
- MILLING LIVE
TOOL **pg 46**



ADJUSTABLE ANGLE LIVE
TOOL **pg 47**

BMT外徑車刀座



DMG MORI MSL20-30 OD TURNING HOLDER





MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90370	LC-DM-MSL20/30-1	1.000"
5699-90373	LC-DM-MSL20/30-25	25mm

BMT雙外徑車刀座



DMG MORI MSL20-30 DOUBLE OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90376	LC-DM-MSL20/30-1-DB	1.000"
5699-90379	LC-DM-MSL20/30-25-DB	25mm

BMT端面車刀座(止動螺絲)**DMG MORI MSL20-30 OD FACING HOLDER JACK SCREWS**



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'
5699-90382	LC-DM-MSL20/30-1-FA-W	1.000"	3.543"
5699-90385	LC-DM-MSL20/30-1-FA-W-EX	1.000"	6.299"
5699-90388	LC-DM-MSL20/30-25-FA-W	25mm	90mm
5699-90391	LC-DM-MSL20/30-25-FA-W-EX	25mm	160mm

BMT端面車刀座**DMG MORI MSL20-30 OD FACING HOLDER WEDGE**

MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'
5699-90394	LC-DM-MSL20/30-1-FA	1.000"	3.543"
5699-90397	LC-DM-MSL20/30-25-FA	25mm	90.0

BMT外徑切斷車刀座



DMG MORI MSL20-30 CUT OFF HOLDER





MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90400	LC-DM-MSL20/30-1-CU	1.000"
5699-90403	LC-DM-MSL20/30-25-CU	25mm

BMT切斷刀板座



DMG MORI MSL20-30 CUT OFF BLADE HOLDER





MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90406	LC-DM-MSL20/30-1-1/4-CUB	1 1/4"
5699-90409	LC-DM-MSL20/30-32-CUB	32mm

BMT内徑搪刀座**DMG MORI MSL20-30 BORING BAR HOLDER**



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90412	LC-DM-MSL20/30-3/4-H1.575	3/4"	1.575"	2.913"
5699-90415	LC-DM-MSL20/30-1-H1.575	1.000"	1.575"	2.913"
5699-90418	LC-DM-MSL20/30-1-1/4-H1.575	1 1/4"	1.575"	2.913"
5699-90421	LC-DM-MSL20/30-1-1/2-H1.575	1 1/2"	1.575"	2.913"
5699-90424	LC-DM-MSL20/30-1-3/4-H1.575	1 3/4"	1.575"	2.913"
5699-90427	LC-DM-MSL20/30-2-H1.575	2.000"	1.575"	2.913"
5699-90430	LC-DM-MSL20/30-2-1/2-H2.165	2 1/2"	2.165"	3.701"
5699-90433	LC-DM-MSL20/30-20-H40	20mm	40mm	74mm
5699-90436	LC-DM-MSL20/30-25-H40	25mm	40mm	74mm
5699-90439	LC-DM-MSL20/30-32-H40	32mm	40mm	74mm
5699-90442	LC-DM-MSL20/30-40-H40	40mm	40mm	74mm
5699-90445	LC-DM-MSL20/30-45-H40	45mm	40mm	74mm
5699-90448	LC-DM-MSL20/30-50-H40	50mm	40mm	74mm
5699-90451	LC-DM-MSL20/30-65-H55	65mm	55mm	94mm

BMT加長内徑搪刀座**DMG MORI MSL20-30 EXTENDED BORING BAR HOLDER**

MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90454	LC-DM-MSL20/30-1-1/4-H1.575-EX	1 1/4"
5699-90457	LC-DM-MSL20/30-1-1/2-H1.575-EX	1 1/2"
5699-90460	LC-DM-MSL20/30-32-H40-EX	32mm
5699-90463	LC-DM-MSL20/30-40-H40-EX	40mm

BMT雙內徑搪刀座**DMG MORI MSL20-30 DOUBLE BORING BAR HOLDER**



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90466	LC-DM-MSL20/30-1-H1.575/1.772-DB	1.000"
5699-90469	LC-DM-MSL20/30-1-1/4-H1.575/1.772-DB	1 1/4"
5699-90472	LC-DM-MSL20/30-25-H4045-DB	25mm
5699-90475	LC-DM-MSL20/30-32-H4045-DB	32mm

BMT內徑搪刀座**DMG MORI MSL20-30 SPLIT BORING BAR HOLDER**

MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90478	LC-DM-MSL20/30-1-1/4-H1.575-ST	1 1/4"
5699-90481	LC-DM-MSL20/30-1-1/2-H1.575-ST	1 1/2"
5699-90484	LC-DM-MSL20/30-2-H1.575-ST	2.000"
5699-90487	LC-DM-MSL20/30-32-H40-ST	32mm
5699-90490	LC-DM-MSL20/30-40-H40-ST	40mm
5699-90493	LC-DM-MSL20/30-50-H40-ST	50mm

BMT/CAPTO内徑刀座



DMG MORI MSL20-30 CAPTO ID HOLDER





MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90496	LC-DM-MSL20/30-C4-H40	C4	40mm	64mm	93mm
5699-90499	LC-DM-MSL20/30-C5-H40	C5	50mm	72mm	100mm
5699-90502	LC-DM-MSL20/30-C5-H40-EX	C5	50mm	72mm	152mm

BMT/CAPTO外徑刀座



DMG MORI MSL20-30 CAPTO OD HOLDER





MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90505	LC-DM-MSL20/30-C4	C4	40mm	23mm	113mm
5699-90508	LC-DM-MSL20/30-C5	C5	50mm	40mm	131mm

BMT軸向ER動力刀座**DMG MORI MSL20-30 STRAIGHT DRILL-MILLING LIVE TOOL**



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	L1	L2	MAX. REVOLUTION	GEAR RATIO	N.m	KG
5411-32160	LC-BMT-01-3232OC-DM-MSL20/30	外部Ext.	32	ER32	35	105	35	76	100	127	64.5	6000	1:1	50	5.5
5411-32163	LC-BMT-01-3232IC-DM-MSL20/30	内部Int. 6 Bar	32	ER32	35	105	35	76	100	127	64.5	6000	1:1	50	5.5

BMT徑向ER動力刀座**DMG MORI MSL20-30 RIGHT ANGLE DRILL-MILLING LIVE TOOL**

MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m	KG
5411-32166	LC-BMT-11-3232OC-DM-MSL20/30	外部Ext.	32	ER32	35	105	92	76	100	127	96	55	6000	1:1	50	10
5411-32169	LC-BMT-11-3232IC-DM-MSL20/30	内部Int. 6 Bar	32	ER32	35	105	92	76	100	127	96	55	6000	1:1	50	10


BMT副主軸徑向ER動力刀座(中心出水)**DMG MORI MSL20-30 RIGHT ANGLE DRILL-MILLING SUB-SPINDLE LIVE TOOL**

MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	H4	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m	KG
5411-32172	LC-BMT-11-3232OC-SP-DM-MSL20/30	外部Ext.	32	ER32	35	105	61	115	76	100	127	90	55	6000	1:1	50	10

BMT徑向雙ER動力刀座**DMG MORI MSL20-30 DOUBLE RIGHT ANGLE DRILL-MILLING LIVE TOOL**

MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	H4	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m	KG
5411-32175	LC-BMT-15-3232OC-DM-MSL20/30	外部Ext.	32	ER32	35	105	92	105	76	100	127	96	55	6000	1:1	50	14

BMT可調90度動力刀座
DMG MORI MSL20-30 ADJUSTABLE ANGLE LIVE TOOL



MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	H1	H2	H3	B1	B2	L1	L2	L3	MAX. REVOLUTION	GEAR RATIO	N.m	KG
5411-32178	LC-BMT-21-3225OC-DM-MSL20/30	外部Ext.	32	ER25	35	105	31	76	100	127	130	45	6000	1:1	25	7.5



DMG MORI MSL35 MACHINE CONNECTIONS

COMPATIBLE MACHINES


Mori Seiki SL 35, 35B

Mori Seiki TL40 (10 Station Turret)


Mori Seiki ZL 3




OD TURNING HOLDER JACK
SCREWS pg 49




OD TURNING HOLDER
WEDGE pg 49



OD FACING HOLDER pg 50





BORING BAR
HOLDER pg 50



SPLIT BORING BAR
HOLDER pg 51

BMT外徑車刀座(止動螺絲)



DMG MORI MSL35 OD TURNING HOLDER JACK SCREWS



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90520	LC-DM-MSL35-1-W	1.000"
5699-90523	LC-DM-MSL35-25-W	25mm

BMT外徑車刀座



DMG MORI MSL35 OD TURNING HOLDER WEDGE



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90526	LC-DM-MSL35-1	1.000"
5699-90529	LC-DM-MSL35-25	25.0

BMT端面車刀座



DMG MORI MSL35 OD FACING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90532	LC-DM-MSL35-1-FA	1.000"
5699-90535	LC-DM-MSL35-25-FA	25mm

BMT内徑搪刀座




DMG MORI MSL35 BORING BAR HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90538	LC-DM-MSL35-1-1/2-H1.575	1 1/2"	1.575"	3.031"
5699-90541	LC-DM-MSL35-2-H1.575	2.000"	1.575"	3.031"
5699-90544	LC-DM-MSL35-2-1/2-H2.000	2 1/2"	2.000"	3.622"
5699-90547	LC-DM-MSL35-40-H40	40mm	40mm	77mm
5699-90550	LC-DM-MSL35-50-H40	50mm	40mm	77mm
5699-90553	LC-DM-MSL35-65-H50	65mm	50mm	92mm

BMT内徑搪刀座

DMG MORI MSL35 SPLIT BORING BAR HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90556	LC-DM-MSL35-1-1/2-H1.575-ST	1 1/2"	1.575"	3.031"
5699-90559	LC-DM-MSL35-2-H1.575-ST	2.000"	1.575"	3.031"
5699-90562	LC-DM-MSL35-2-1/2-H2.000-ST	2 1/2"	2.000"	3.622"
5699-90565	LC-DM-MSL35-40-H40-ST	40mm	40mm	77mm
5699-90568	LC-DM-MSL35-50-H40-ST	50mm	40mm	77mm
5699-90571	LC-DM-MSL35-65-H50-ST	65mm	50mm	92mm

DMG MORI MSL403 MACHINE CONNECTIONS

COMPATIBLE MACHINES



Mori Seiki SL 400, 403, 405

Mori Seiki SL 45


Mori Seiki VL 55

Mori Seiki ZL 35


Mori Seiki ZL 45




OD TURNING
HOLDER pg 53




OD FACING HOLDER pg 53




BORING BAR
HOLDER pg 54



SPLIT BORING BAR
HOLDER pg 54





CAPTO ID HOLDER pg 55



CAPTO OD HOLDER pg 55

BMT外徑車刀座



DMG MORI MSL403 OD TURNING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90580	LC-DM-MSL403-1-1/4	1 1/4"
5699-90583	LC-DM-MSL403-32	32mm

BMT端面車刀座



DMG MORI MSL403 OD FACING HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90586	LC-DM-MSL403-1-1/4-FA	1 1/4"
5699-90589	LC-DM-MSL403-32MM-FA	32mm

BMT内徑搪刀座



DMG MORI MSL403 BORING BAR HOLDER





MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'
5699-90592	LC-DM-MSL403-1-1/4-H1.969	1 1/4"	3.346"
5699-90595	LC-DM-MSL403-1-1/2-H1.969	1 1/2"	3.937"
5699-90598	LC-DM-MSL403-2-H1.969	2.000"	3.937"
5699-90601	LC-DM-MSL403-2-1/2-H1.969	2 1/2"	3.937"
5699-90604	LC-DM-MSL403-3-H1.969	3.000"	3.937"
5699-90607	LC-DM-MSL403-32-H50	32mm	85mm
5699-90610	LC-DM-MSL403-40-H50	40mm	100mm
5699-90613	LC-DM-MSL403-50-H50	50mm	100mm
5699-90616	LC-DM-MSL403-65-H50	65mm	100mm
5699-90619	LC-DM-MSL403-80-H50	80mm	100mm

BMT外徑車刀座



DMG MORI MSL403 SPLIT BORING BAR HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'
5699-90622	LC-DM-MSL403-2-H1.969-ST	2.000"	3.937"
5699-90625	LC-DM-MSL403-2-1/2-H1.969-ST	2 1/2"	3.937"
5699-90628	LC-DM-MSL403-3-H1.969-ST	3.000"	4.331"
5699-90631	LC-DM-MSL403-50-H50-ST	50mm	100mm
5699-90634	LC-DM-MSL403-65-H50-ST	65mm	100mm
5699-90637	LC-DM-MSL403-80-H50-ST	80mm	110mm

BMT/CAPTO内徑刀座**DMG MORI MSL403 CAPTO ID HOLDER**

MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90640	LC-DM-MSL403-C6-H50	C6	63mm

BMT/CAPTO外徑刀座**DMG MORI MSL403 CAPTO OD HOLDER**

MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90643	LC-DM-MSL403-C6	C5	50mm

DMG MORI MSL603 MACHINE CONNECTIONS

COMPATIBLE MACHINES



Mori Seiki MSL 75

Mori Seiki SL 45


Mori Seiki SL 6

Mori Seiki SL 600, 603


Mori Seiki SL 65




OD TURNING HOLDER .. pg 57




OD FACING HOLDER pg 57




BORING BAR HOLDER ... pg 58





SPLIT BORING BAR
HOLDER pg 58





CAPTO ID HOLDER pg 59



CAPTO OD HOLDER pg 59

BMT外徑車刀座**DMG MORI MSL603 OD TURNING HOLDER**



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90652	LC-DM-MSL603-1-1/4	1 1/4"
5699-90655	LC-DM-MSL603-32	32mm

BMT端面車刀座**DMG MORI MSL603 OD FACING HOLDER**

MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90658	LC-DM-MSL603-1-1/4-FA	1 1/4"
5699-90661	LC-DM-MSL603-32-FA	32mm

BMT内徑搪刀座



DMG MORI MSL603 BORING BAR HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90664	LC-DM-MSL603-2-H2.540	2.000"	2.540"	5.000"
5699-90667	LC-DM-MSL603-2-1/2-H2.540	2 1/2"	2.540"	5.000"
5699-90670	LC-DM-MSL603-3-H2.540	3.000"	2.540"	5.000"
5699-90673	LC-DM-MSL603-4-H2.540	4.000"	3.150"	5.500"
5699-90676	LC-DM-MSL603-50-H64	50mm	64.52mm	127mm
5699-90679	LC-DM-MSL603-65-H64	65mm	64.52mm	127mm
5699-90682	LC-DM-MSL603-80-H64	80mm	64.52mm	127mm
5699-90685	LC-DM-MSL603-100-H80	100mm	80mm	139.7mm

BMT内徑搪刀座



DMG MORI MSL603 SPLIT BORING BAR HOLDER



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90688	LC-DM-MSL603-2-1/2-H2.540-ST	2 1/2"
5699-90691	LC-DM-MSL603-3-H2.540-ST	3.000"
5699-90694	LC-DM-MSL603-65-H64-ST	65mm
5699-90697	LC-DM-MSL603-80-H64-ST	80mm

BMT/CAPTO内徑刀座



DMG MORI MSL603 CAPTO ID HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90700	LC-DM-MSL603-C6-H50	C6	63mm

BMT/CAPTO外徑車刀座

DMG MORI MSL603 CAPTO OD HOLDER





MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90703	LC-DM-MSL603-C5	C5	50mm	217mm	39mm
5699-90706	LC-DM-MSL603-C6	C6	63mm	207mm	40mm


DMG MORI MSL603MC MACHINE CONNECTIONS

COMPATIBLE MACHINES


Mori Seiki SL 603 MC




OD TURNING OLDER pg 61




OD FACING HOLDER pg 61




BORING BAR HOLDER ... pg 62




SPLIT BORING BAR
HOLDER pg 62




CAPTO ID HOLDER pg 63





CAPTO OD HOLDER pg 63





STRAIGHT DRILL-MILLING
LIVE TOOL pg 64





RIGHT ANGLE DRILL-MILLING
LIVE TOOL pg 64

BMT外徑車刀座**DMG MORI MSL603MC OD TURNING HOLDER**



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90721	LC-DM-MSL603MC-1-1/4	1 1/4"
5699-90724	LC-DM-MSL603MC-32	32mm

BMT端面車刀座**DMG MORI MSL603MC OD FACING HOLDER**

MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90727	LC-DM-MSL603MC-1-1/4-FA	1 1/4"
5699-90730	LC-DM-MSL603MC-32-FA	32mm

BMT内徑搪刀座**DMG MORI MSL603MC BORING BAR HOLDER**



MOLDER NO.	規格 SPEC.	DIMENSION 'X'
5699-90733	LC-DM-MSL603MC-2-1/2-H2.756	2 1/2"
5699-90736	LC-DM-MSL603MC-3-H2.756	3.000"
5699-90739	LC-DM-MSL603MC-65-H70	65mm
5699-90742	LC-DM-MSL603MC-80-H70	80mm

BMT内徑搪刀座**DMG MORI MSL603MC SPLIT BORING BAR HOLDER**

MOLDER NO.	規格 SPEC.	DIMENSION 'X'	DIMENSION 'Y'	DIMENSION 'Z'
5699-90745	LC-DM-MSL603MC-2.0-H2.756-ST	2.000"	4.900"	7.967"
5699-90748	LC-DM-MSL603MC-2-1/2-H2.756-ST	2 1/2"	4.900"	7.967"
5699-90751	LC-DM-MSL603MC-3-H2.756-ST	3.000"	5.095"	8.163"
5699-90754	LC-DM-MSL603MC-50-H70-ST	50mm	124.42mm	202.35mm
5699-90757	LC-DM-MSL603MC-65-H70-ST	65mm	124.42mm	202.35mm
5699-90760	LC-DM-MSL603MC-80-H70-ST	80mm	129.422mm	207.35mm

BMT/CAPTO内徑刀座



DMG MORI MSL603MC CAPTO ID HOLDER





MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90763	LC-DM-MSL603MC-C6-H70	C6	63mm

BMT/CAPTO外徑刀座



DMG MORI MSL603MC CAPTO OD HOLDER



MOLDER NO.	規格 SPEC.	TOOL CLAMPING	DIMENSION 'X'
5699-90766	LC-DM-MSL603MC-C6	C6	63mm

BMT軸向ER動力刀座**DMG MORI MSL603MC STRAIGHT DRILL-MILLING LIVE TOOL**

MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	B1	B2	B3	B4	H1	H2	L1	L2	L3	L4	MAX. REVOLUTION	GEAR RATIO	KG
5411-32190	LC-BMT-01-4050OC-DM-MSL603MC	外部Ext.	40	ER50	70	150	100	124	43	110	60	236	116	52	6000	1.1	14

BMT徑向ER動力刀座**DMG MORI MSL603MC RIGHT ANGLE DRILL-MILLING LIVE TOOL**

MOLDER NO.	規格 SPEC.	出水方式 COOLANT	D1	D2	B1	B2	B3	B4	B5	H1	H2	L1	L2	L3	L4	MAX. REVOLUTION	GEAR RATIO	KG
5411-32193	LC-BMT-11-4050OC-DM-MSL603MC	外部Ext.	40	ER50	70	100	150	100	124	132	142	212.5	113	55	52	6000	1.1	37



正河源股份有限公司
CHAIN HEADWAY CO., LTD.

☎ 電話 TEL /
+886-4-26265252

☎ 傳真 FAX /
+886-4-26267941

📍 地址 Address /
436037台灣台中市清水區五權路232號
No. 232, Wuquan Rd., Qingshui Dist., Taichung City 436037, Taiwan

🌐 網址 Website /
www.chain-headway.com



公司官網(中文)



Website(EN)



LINE



WeChat



Facebook



YouTube